



victron energy
BLUE POWER

Blister

Retail packaging



BLISTER RETAIL PACKAGING

The new blister packaged products from Victron Energy will make VE much more attractive in the retail world. The packages have a modern design with striking Victron colors. The product is visible behind a glossy covering which gives the consumer full view of the product. On the back of the package is a small description or schematic overview. Note: the dimensions and weight listed below are with packing.

BLUE POWER CHARGER IP65



Article number	Description	Dimensions (h x w x d in mm) With packing	Weight With packing
BPC120708034R	Blue Power IP65 Charger 12/7 (1) Retail Includes DC connector with clamps and eyelets	280 x 200 x 65 mm	1650 gram
BPC121008034R	Blue Power IP65 Charger 12/10 (1) Retail	305 x 215 x 80 mm	1650 gram
BPC121508034R	Blue Power IP65 Charger 12/15 (1) Retail	305 x 215 x 80 mm	1650 gram
BPC240508034R	Blue Power IP65 Charger 24/5 (1) Retail Includes DC connector with clamps and eyelets	280 x 200 x 65 mm	1650 gram
BPC240808034R	Blue Power IP65 Charger 24/8 (1) Retail	305 x 215 x 80 mm	1650 gram

AUTOMOTIVE CHARGER



Article number	Description	Dimensions (h x w x d in mm) With packing	Weight With packing
BPC120480034R	Automotive IP65 Charger 12V/4A-12V/1A Includes DC connector with clamps, eyelets and cigarette plug.	270 x 165 x 80 mm	600 gram
BPC1200180034R	Automotive IP65 Charger 6/12V-1A Includes DC connector with clamps, eyelets and cigarette plug.	270 x 165 x 80 mm	600 gram

BLUE POWER CONTROL GX



Article number	Description	Dimensions (h x w x d in mm) With packing	Weight With packing
BPP000200100R	Blue Power Control GX	213 x 160 x 51 mm	310 gram

COLOR CONTROL GX



Article number	Description	Dimensions (h x w x d in mm) With packing	Weight With packing
BPP000300100R	Color Control GX Retail	213 x 160 x 51 mm	310 gram

DIGITAL MULTI CONTROL



Article number	Description	Dimensions (h x w x d in mm) With packing	Weight With packing
DMC000100000R	Digital Multi Control 200/200A GX Retail	126 x 154 x 52 mm	180 gram

BATTERY MONITOR BMV-700 SERIES



Article number	Description	Dimensions (h x w x d in mm) With packing	Weight With packing
BAM010700000R	Battery Monitor BMV-700 Retail	270 x 230 x 70 mm	965 gram
BAM010702000R	Battery Monitor BMV-702 Retail	270 x 230 x 70 mm	965 gram
BAM010702200R	Battery Monitor BMV-702 BLACK Retail	270 x 230 x 70 mm	965 gram

BLISTER RETAIL PACKAGING

ARGO DIODE BATTERY ISOLATOR



Article number	Description	Dimensions (h x w x d in mm) With packing	Weight With packing
ARG080201000R	Argodiode 80-2AC 2 batteries 80A isolator Retail	192 x 133 x 65 mm	670 gram
ARG080202000R	Argo 80-2SC 2 batteries 80A isolator Retail	192 x 133 x 65 mm	570 gram
ARG100301000R	Argodiode 100-3AC 3 batteries 100A isolator Retail	243 x 167 x 65 mm	860 gram
ARG120201020R	Argodiode 120-2AC 2 batteries 120A isolator Retail	243 x 167 x 65 mm	861 gram
ARG140301020R	Argodiode 140-3AC 3 batteries 140A isolator Retail	243 x 167 x 65 mm	1162 gram

ARGOFET



Article number	Description	Dimensions (h x w x d in mm) With packing	Weight With packing
ARG200201020R	Argofet 200-2 Two batteries 200A isolator Low Loss Retail	290 x 167 x 65 mm	1475 gram
ARG200301020R	Argofet 200-3 Three batteries 200A isolator Low Loss Retail	290 x 167 x 65 mm	1475 gram
ARG100201020R	Argofet 100-2 Two batteries 100A isolator Low Loss Retail	290 x 167 x 65 mm	1475 gram
ARG100301020R	Argofet 100-3 Three batteries 100A isolator Low Loss Retail	290 x 167 x 65 mm	1475 gram

CYRIX-CT



Article number	Description	Dimensions (h x w x d in mm) With packing	Weight With packing
CYR010120011R	Cyrix-ct 12/24V-120A intelligent combiner Retail	176 x 122 x 50 mm	130 gram

CYRIX-CT

Article number	Description	Dimensions (h x w x d in mm) With packing	Weight With packing
CYR010230010R	Cyrix-ct 12/24V-230A intelligent combiner Retail	65 x 100 x 50 mm	750 gram



BATTERY COMBINER KIT

Article number	Description	Dimensions (h x w x d in mm) With packing	Weight With packing
CYR010120110R	Battery Combiner Kit Cyrix-ct 120A Retail	335 x 235 x 50 mm	995 gram



SHORE POWER INLET

Article number	Description	Dimensions (h x w x d in mm) With packing	Weight With packing
SHP301602000R	Power Inlet stainless with cover 16A/250Vac (2p/3w) Retail	213 x 138 x 105 mm	340 gram
SHP301603000R	Power Inlet Polyamid with cover 16A/250Vac (2p/3w) Retail	213 x 138 x 105 mm	230 gram



BLISTER RETAIL PACKAGING

BLUESOLAR CHARGE CONTROLLER MPPT



Article number	Description	Dimensions (h x w x d in mm) With packing	Weight With packing
SCC010015050R	BlueSolar MPPT 70/15	207x148x45mm	491 gram
SCC010015200R	BlueSolar MPPT 100/15	207x148x45mm	491 gram

ORION DC/DC CONVERTER



Article number	Description	Dimensions (h x w x d in mm) With packing	Weight With packing
ORI241205020R	Orion 24/12-5A DC-DC converter IP20 Retail	155 x 115 x 62 mm	210 gram
ORI241212020R	Orion 24/12-12A DC-DC converter IP20 Retail	181 x 115 x 62 mm	350 gram
ORI241217020R	Orion 24/12-17A DC-DC converter IP20 Retail	181 x 115 x 62 mm	360 gram

VE.NET BATTERY CONTROLLER



Article number	Description	Dimensions (h x w x d in mm) With packing	Weight With packing
VBC000300000R	VE.Net Battery Controller (VBC) 12/24/48Vdc Retail	290 x 188 x 51 mm	740 gram

BLISTER RETAIL PACKAGING

To present the blister retail packaging in your shop you can order the Display for Blister products. The display consists of a firm metal plate with lots of holes in it to hang the products as you wish. Two firm plastic plates are mounted at the bottom sides to support the display. There are sufficient metal mounting brackets to hang the products on. There are different possibilities to fill the display. Below is an example of filling the display with blister products.

DISPLAY FOR BLISTER PRODUCTS

Article number	Description	Dimensions (h x w x d in mm) Mounted display	Weight With packing
SAL072040640	Display for Blister products	2050 x 770 x 600 mm	16600 gram

EXAMPLE OF FILLING THE DISPLAY FOR BLISTER PRODUCTS

Article number	Description	Dimensions (h x w x d in mm) With packing	Weight With packing
SHP301602000R	Power Inlet stainless with cover 16A/250Vac (2p/3w) Retail	213 x 138 x 105 mm	340 gram
ORI241205020R	Orion 24/12-5A DC-DC converter IP20 Retail	155 x 115 x 62 mm	210 gram
ORI241212020R	Orion 24/12-12A DC-DC converter IP20 Retail	181 x 115 x 62 mm	350 gram
ORI241217020R	Orion 24/12-17A DC-DC converter IP20 Retail	181 x 115 x 62 mm	360 gram
VBC000300000R	VE.Net Battery Controller (VBC) 12/24/48Vdc Retail	290 x 188 x 51 mm	740 gram
BAM010700000R	Battery Monitor BMV-700 Retail	270 x 230 x 70 mm	965 gram
DMC000100000R	Digital Multi Control 200/200A GX	126 x 154 x 52 mm	180 gram
CYR010120110R	Battery Combiner Kit Cyrix-ct 120A Retail	CYR010120110R	995 gram
BPP000200100R	Blue Power Control GX Retail	213 x 160 x 51 mm	310 gram
ARG080201000R	Argodiode 80-2AC 2 batteries 80A isolator Retail	192 x 133 x 65 mm	670 gram
ARG200201020R	Argofet 200-2 Two batteries 200A isolator Low Loss Retail	290 x 167 x 65 mm	1475 gram
ARG100301020R	Argofet 100-3 Three batteries 100A isolator Low Loss Retail	290 x 167 x 65 mm	1475 gram
BPC121008034R	Blue Power IP65 Charger 12/10 (1) Retail	305 x 215 x 80 mm	1650 gram
SCC010015200R	BlueSolar MPPT 100/15	207x148x45mm	491 gram
BPC120480034R	Automotive IP65 Charger 12V/4A-12V/1A	270 x 165 x 80 mm	600 gram





Victron Energy B.V. / De Paal 35
1351 JG Almere / The Netherlands
Phone: +31 (0)36 535 97 00
Fax: +31 (0)36 535 97 40
e-mail: sales@victronenergy.com
www.victronenergy.com

SAL064144020
REV 04
2014-06